

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	coolant near pivot\$6 and machine adj tool and nozzle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L2	1688	((409/136,135,137) or (408/61, 60)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L3	10	"5186394"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L4	7	"5186394".URPN.	USPAT	OR	ON	2005/06/28 10:05
L5	24	coolant same pivot\$6 and machine adj tool and nozzle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L6	184	((409/136,135,137) or (408/61, 60)).CCLS.) and cool\$5 and nozzle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L7	9	((409/136,135,137) or (408/61, 60)).CCLS.) and cool\$5 and nozzle) and plunger	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L8	1215	(239/587.1,587.5,587.6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L9	32	L8 and pivot\$5s	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L10	1564	(239/587.1,587.5,587.6,587.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L11	220	L10 and pivot\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05

L12	396	(239/587.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L13	41	L12 and pivot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L14	70	L12 and pivot\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L15	0	L14 and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L16	114	L12 and nozzle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L17	30	L13 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L18	8	("0832066" "1230458" "1688614" "3041748" "3724764" "4350297" "4662565" "4796808").PN.	USPAT	OR	ON	2005/06/28 10:05
L19	2	("5186394").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L20	8	("0832066" "1230458" "1688614" "3041748" "3724764" "4350297" "4662565" "4796808").PN.	USPAT	OR	ON	2005/06/28 10:05
L21	5	(US-4597697-\$ or US-4708539-\$ or US-4095916-\$ or US-6164881-\$).did. or (US-20020146297-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/28 10:05
L22	3	L21 and (piston or hydraulic or pneumatic)	US-PGPUB; USPAT	OR	OFF	2005/06/28 10:05
L23	0	"20020146297".URPN.	USPAT	OR	ON	2005/06/28 10:05
L24	2	("6164881").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05

L25	5	L12 and piston and pivot\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L26	991	(409/131,132).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L27	662	L26 and (pivot\$4 or rotat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L28	76	L26 and (pivot\$4 or rotat\$4) and coolant	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L29	23	((("3836084") or ("4573833") or ("4597697") or ("4708539") or ("4822218") or ("5186394") or ("5444634") or ("6123268") or ("6123270") or ("6123606") or ("6164881")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/28 10:05
L30	20	"0331440"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05
L31	12	"331440"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:05